

## EAST Search History

| Ref # | Hits  | Search Query                                  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|---|---|------------------|---------|------------------|
| S1    | 59408 | execut\$ near5 order                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 11:53 |
| S2    | 46    | execut\$ near5 order same plug adj in         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:01 |
| S3    | 291   | execut\$ near5 order same software.ab.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:01 |
| S4    | 162   | execut\$ near2 order same software.ab.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:01 |
| S5    | 17    | execut\$ near2 order same software.ti.        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:05 |
| S6    | 10    | execut\$ adj order same software.ti.          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:05 |
| S7    | 58    | execut\$ adj order same software.ab.          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:06 |
| S8    | 18    | execut\$ adj order same software same numer\$ | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/12/14 12:07 |

## EAST Search History

|     |       |   |   |    |    |                  |
|-----|-------|---|---|----|----|------------------|
| S9  | 6     | execut\$ adj order same software<br>near10 static | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:16 |
| S10 | 2131  | execut\$ adj order same number                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:16 |
| S11 | 36    | execut\$ adj order same decimal                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:17 |
| S12 | 2705  | execut\$ adj order.ab.                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:17 |
| S13 | 10    | execut\$ adj order.ab. and ("719".<br>clas.)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:19 |
| S14 | 20    | execut\$ adj order.ab. and ("718".<br>clas.)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:21 |
| S15 | 2768  | software near order                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:21 |
| S16 | 12031 | program near order                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:21 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S17 | 308  | program near order and ("719" or "718").clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:21 |
| S18 | 10   | program near order.ab. and ("719" or "718").clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:22 |
| S19 | 19   | (program or application or module) near order.ab. and ("719" or "718").clas.                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:22 |
| S20 | 9    | S19 not S18   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:24 |
| S21 | 2362 | (sequencing or sequence) near5 (software or program or application or module) same insert     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:25 |
| S22 | 54   | (sequencing or sequence) near5 (software or program or application or module) same insert.ab. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:27 |
| S23 | 4321 | execution adj order   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:27 |
| S24 | 220  | execution adj order.ti.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:27 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S25 | 9   | execution adj order.ti. and assign                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:38 |
| S26 | 2   | "6647473".pn.                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:34 |
| S27 | 38  | execution adj order same assign                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:42 |
| S28 | 270 | execution adj order same assign\$                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:42 |
| S29 | 40  | execution adj order same assigning                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:45 |
| S30 | 220 | execution adj order.ti.                           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:45 |
| S31 | 0   | execution adj order.ti. and<br>(700-719.clas.)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:45 |
| S32 | 0   | execution adj order.ti. and ("718,<br>719".clas.) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:46 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S33 | 1    | execution adj order.ti. and ("718".<br>clas. or "719".clas.)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:46 |
| S34 | 3    | execution near order.ti. and ("718".<br>clas. or "719".clas.)                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:47 |
| S35 | 30   | execution near order.ab. and<br>("718".clas. or "719".clas.)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 12:51 |
| S36 | 31   | order near (program or application<br>or process or module).ab. and<br>("718".clas. or "719".clas.) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:10 |
| S37 | 53   | order near numerical and ("718".<br>clas. or "719".clas.)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:21 |
| S38 | 391  | order near software same execut\$   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:21 |
| S39 | 1240 | order near2 software same execut\$  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:21 |
| S40 | 31   | order near software same execut\$.<br>ab.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:24 |

## EAST Search History

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S41 | 21  | ordering near software.ab.                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:25 |
| S42 | 91  | sequence near software.ab.                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:25 |
| S43 | 23  | sequence near software.ab. same<br>execut\$ | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:55 |
| S44 | 1   | numbering near2 software same<br>executing  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:56 |
| S45 | 0   | numbering near2 software same<br>execution  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:55 |
| S46 | 582 | number near2 software same<br>executing     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:56 |
| S47 | 514 | number near2 software same<br>execution     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 13:56 |
| S48 | 64  | number near2 software same<br>execution.ab. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:01 |

## EAST Search History

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S49 | 68   | number near2 software same execut\$ near5 first  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:01 |
| S50 | 671  | number same software same execut\$ near5 first   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:01 |
| S51 | 39   | number same software same execut\$ near5 first.ab.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:04 |
| S52 | 5329 | (software or program or processor or object or module or component) same execut\$ near5 order same first   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:04 |
| S53 | 453  | (software or program or processor or object or module or component) same execut\$ near5 order same first.ab.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:04 |
| S54 | 13   | (software or program or processor or object or module or component) same execut\$ near5 order same first.ab. and ("718" or "719").clas.                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:10 |
| S55 | 343  | (software or program or processor or object or module or component) same execut\$ near5 order same first and ("718" or "719").clas.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:10 |
| S56 | 70   | (software or program or processor or object or module or component) same execut\$ near5 order same first same (number or numeric or numerical) and ("718" or "719"). clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:26 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S57 | 0    | (execut\$ near2 order same unassigned) and ("718" or "719"). clas.      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:27 |
| S58 | 0    | (execut\$ near2 order same unassign\$) and ("718" or "719"). clas.      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:27 |
| S59 | 2    | (execut\$ near2 sequence same unassign\$) and ("718" or "719"). clas.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:27 |
| S60 | 0    | (execut\$ near2 sequence same unallocat\$) and ("718" or "719"). clas.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:27 |
| S61 | 0    | (execut\$ near2 sequence same nonallocat\$) and ("718" or "719"). clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:28 |
| S62 | 0    | (execut\$ near2 order same nonallocat\$) and ("718" or "719"). clas.    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:28 |
| S63 | 1    | (execut\$ near2 order same unallocat\$) and ("718" or "719"). clas.     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:28 |
| S64 | 2220 | execut\$ near2 order and "709".clas.                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:42 |



## EAST Search History

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S65 | 57   | execut\$ near2 order.ab. and "709".<br>clas. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:53 |
| S66 | 14   | "6148336".uref.                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/14 14:53 |
| S67 | 1116 | numerical near2 execut\$                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 09:58 |
| S68 | 28   | numerical near2 execut\$ adj order           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:13 |
| S69 | 5    | numeric near2 execut\$ adj order             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:08 |
| S70 | 32   | numerical near5 execut\$ adj order           | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:13 |
| S71 | 57   | numerical near5 execut\$ near order          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:22 |
| S72 | 404  | numerical near2 execut\$.ab.                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:22 |

## EAST Search History

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S73 | 28  | allocat\$ near2 number same<br>execut\$ near order             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:26 |
| S74 | 104 | assign\$ near2 number same<br>execut\$ near order              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:26 |
| S75 | 99  | S74 not S73  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:40 |
| S76 | 24  | execut\$ near order same float                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:42 |
| S77 | 1   | execut\$ near order same (insert or<br>inserting) same numeric | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:43 |
| S78 | 13  | execut\$ near order same (add)<br>same numeric                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:43 |
| S79 | 43  | execut\$ near order.ab. same<br>(numeric or numerical)         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:50 |
| S80 | 231 | execut\$ near order same (numeric<br>or numerical)             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:54 |

## EAST Search History

|     |     |                                  |   |    |    |                  |
|-----|-----|----------------------------------|---|----|----|------------------|
| S81 | 188 | S80 not S79                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:51 |
| S82 | 83  | execut\$ near order same decimal | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/12/15 10:54 |